



QUICK START GUIDE

NU® LINE

SPÜLBOY NU®

SPÜLBOY NU® water+

SPÜLBOY NU® pro


**UNIQUE!
100% HYGIENIC
CLEAN GLASSES**





Schäfer Produkte GmbH
Simonshöfchen 53
42327 Wuppertal/Germany
Phone: +49 (0) 202 695 32-0
E-Mail: info@spuelboy.de

www.spuelboy.de






- 1 connect the device to the main water supply (3/8" or likewise)




- 2 regulate the water pressure between 2 to max. 4 bar



- 3 check the system
 - fill in cold fresh water
 - fill in SPÜLBOY® tab
 - check horizontal water flow
 - ready to use





- 1 check and keep the cleanliness of the device and the work environment
- 2 fill the pre-sink with fresh water; the NU® water+ per **push** button
- 3 place an original SPÜLBOY® tab into the pre-washing canister




- 4 renew the NU® tab, if **during the rinsing (!)** **no more foam** forms (after appr. 6-8 hours)




QUICK START GUIDE

How to clean a glass?




- 1 move the glass with steady up and down movements completely over the brush, at least **3-4 times**




don't twist!



- 2 let the glass drain off briefly over the pre-washing canister



- 3 push down the 2 stage valve for at least **2-3 seconds**; rinse until the glass inside and outside is clearly cleaned



End of the day:

- 1 Disconnect device from water supply!
- 2 take off the brushes and place them with NU® brush sanitizer into a bucket/sink
- 3 fill up the sink with warm water and wait for appr. 12 hours
- 4 wipe off the device thoroughly with a clean sponge



In the morning:

- 1 rinsing brushes clean
- 2 place the brushes back into the device
- 3 fill-up with fresh water and new tab

• ready to use



In case of glass damage:



- 1 stop the rinsing process immediately
- 2 take the device off the water pressure
- 3 let the water drain out of the pre-washing canister
- 4 **take off the brushes carefully and rinse them clean**
- 5 **carefully remove all broken glass**
- 6 place the brushes back into the device
- 7 check the system

