

Explanation:

- The picture shows a standard situation which you will find in approx. 80% of all bars, restaurants and hotels in east and west Europe.
- You find a main water tap **1** and an undertap **2** an additional 3/8" threaded outlet **3**.
- Standard SPÜLBOY® units are delivered with hose and fixed 3/8" thread connection **4**. For this installation you do not need any further adapter.



Explanation:

- You can connect SPÜLBOY[®] to the main water outlet **1** with an adapter **2** (picture 2). 80% of the bars, restaurants and hotels have the same tap outlet with a 22/1" thread.
- To connect SPÜLBOY[®] you just need to follow the pictures 1-3. SPÜLBOY[®] is connectable with it's standard connection hose (see picture 3).

PICTURE 1



ADAPTER TO CONNECT



PICTURE 2



PICTURE 3



Explanation:

- First you install the adapter to the tap (see sheet II, picture 1+2).
- The quick connector has a 3/8" thread + also with 1/2" thread equipped which is suitable to the adapter.
- The hose needs a special preparation for fitting to the quick connector! If you order Spülboy® including quick connection we fit up the hose with a suitable connection tail **1**.
- By pushing up or down the ring it is easy to connect and disconnect the hose from the water outlet **2**.
- This is highly useful for a daily cleaning and recommended to fulfill highest hygienic standards.

3/8" thread

screw on the quick connector


2 art. 5075

Just click in

1 art. 5075

Explanation:

- In case you do not have an under tap (sheet I) and you do not want to connect SPÜLBOY® to the main water outlet either (sheet II or III) you can install a water converter **1** with 1/2" thread **2** in between the tap outlet and the tap body.
- The converter needs to be installed between the upper water outlet and the tap body.
- We either equip SPÜLBOY® with a connection hose fit up by 1/2" thread **2** or you use an adapter to connect 1/2" thread to our standard hose with ending of 3/8" thread to connect it smoothly to the converter. **1**



Explanation:

- If you do not have an under tap (sheet I) and if you do not want to connect SPÜLBOY® to the main water outlet either (sheet II or III) you can install a water converter **1** with 1/2" thread outlet **2** to connect with a SPÜLBOY hose connection.
- The converter needs to be installed between the upper water outlet and the tap body.
- In this case we equip SPÜLBOY® with a connection hose incl. quick connector **2** to connect it smoothly to the converter **1**.

